


Alabaster Pill Wall Light

THECARGOODS.COM

SUPPORT@THECARGOODS.COM





DESCRIPTION


This streamlined Mixed Pill Form Sconce showcases a pure alabaster shade, elegantly complemented by a solid band in your choice of two metal finishes. Pairing sleek metal detailing with natural alabaster, this sconce exudes a modern refinement while highlighting the natural beauty of the stone. Hand-carved from natural alabaster, the sconce is available with Antique Brass or Blackened detailing.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKW7-240730-05
Fixture Dimensions	D 3.5" x H 15.7"
Light source	Integrated LED
Wattage	~18 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included)
Finishes	Brass, Black.
Shade Details	White.
Material	Metal, Alabaster, Brass.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION

This streamlined Mixed Pill Form Sconce showcases a pure alabaster shade, elegantly complemented by a solid band in your choice of two metal finishes. Pairing sleek metal detailing with natural alabaster, this sconce exudes a modern refinement while highlighting the natural beauty of the stone. Hand-carved from natural alabaster, the sconce is available with Antique Brass or Blackened detailing.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKW7-240730-05
Fixture Dimmensions	D 4.7" x H 15.7"
Light source	Integrated LED
Wattage	~18 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included)
Finishes	Brass, Black.
Shade Details	White.
Material	Metal, Alabaster, Brass.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

