


Boilyn Outdoor Pillar Light

THECARGOODS.COM

SUPPORT@THECARGOODS.COM





DESCRIPTION


Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113501
Fixture Dimensions	L 13.2" x W 13.2" x H 7.5"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113502
Fixture Dimensions	L 13.2" x W 13.2" x H 7.5"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113503
Fixture Dimensions	L 17.7" x W 17.7" x H 9.8"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113504
Fixture Dimensions	L 17.7" x W 17.7" x H 9.8"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113505
Fixture Dimmensions	L 22" x W 22" x H 12.2"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION

Boilyn Outdoor Pillar Light is equipped with an IP65-rated waterproof light pole and a resilient sandblasted body & frosted acrylic shade, ensuring its resilience in the face of elements. Its exclusive UV resistance & colorfastness make it ideal for outdoor lighting projects, such as doorways, porches, pathways, and more.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKO-230806113506
Fixture Dimensions	L 22" x W 22" x H 12.2"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black & White
Shade Details	Black & White
Material	Metal, Acrylic, PC.
Cord Length	No
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

